

測試報告

報告編號：UG/2017/C1018

日期：2017年12月29日

頁數：1 of 3



基翔生技有限公司

台中市西區博館路117號B1

以下測試之樣品係由申請廠商所提供及確認：

產品名稱： J'NESAQUOI 四重奏玻尿酸面膜

申請廠商： 基翔生技有限公司

產品型號/批號：---

樣品狀態： 請參考報告末頁樣品照片

製造日期： ---

有效期限： ---


收樣日期： 2017年12月20日

測試日期： 2017年12月20日 ~ 2017年12月29日

測試結果： -請見下頁-

Signed for and on behalf of

SGS Taiwan Ltd.


Shin-Jyh Chen

Manager



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

報告編號：UG/2017/C1018

日期：2017年12月29日

頁數：2 of 3



基翔生技有限公司

台中市西區博館路117號B1

測試結果：

| 測試項目 | CAS NO. | 測試方法 | 測試結果 | 定量/偵測極限 | 單位 |
|--------|-------------|---|------|---------|------------|
| 砷 (As) | 007440-38-2 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉛 (Pb) | 007439-92-1 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 汞 (Hg) | 007439-97-6 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎘 (Cd) | 007440-43-9 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 銻 (Sb) | 007440-36-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鋇 (Ba) | 007440-39-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉻 (Cr) | 007440-47-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎳 (Ni) | 007440-02-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |

備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。

2. 本報告不得分離，分離使用無效。

3. 若該測試項目屬於定量分析則以「定量極限」表示；若該測試項目屬於定性分析則以「偵測極限」表示。

4. 低於定量極限之測定值以 "N.D." 表示；低於偵測極限之測定值以 "陰性" 表示。

5. 重金屬限量：依據衛生署公告重金屬限量：汞<1ppm，砷<3ppm，鉛<10ppm，鎘<20ppm。

- END -

測試報告

報告編號：UG/2017/C1018

日期：2017年12月29日

頁數：3 of 3



基翔生技有限公司

台中市西區博館路117號B1

樣品照片

UG/2017/C1018



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

報告編號：UG/2017/C1019

日期：2017年12月29日

頁數：1 of 3



基翔生技有限公司

台中市西區博館路117號B1

以下測試之樣品係由申請廠商所提供及確認：

產品名稱：J'NESAQUOI 多重維他命淡斑面膜

申請廠商：基翔生技有限公司

產品型號/批號：---

樣品狀態：請參考報告末頁樣品照片

製造日期：---

有效期限：---


收樣日期：2017年12月20日

測試日期：2017年12月20日 ~ 2017年12月29日

測試結果：-請見下頁-

Signed for and on behalf of

SGS Taiwan Ltd.


Shin-Jyh Chen

Manager



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

報告編號：UG/2017/C1019

日期：2017年12月29日

頁數：2 of 3



基翔生技有限公司

台中市西區博館路117號B1

測試結果：

| 測試項目 | CAS NO. | 測試方法 | 測試結果 | 定量/偵測 極限 | 單位 |
|--------|-------------|---|------|-------------|------------|
| 砷 (As) | 007440-38-2 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉛 (Pb) | 007439-92-1 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 汞 (Hg) | 007439-97-6 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎘 (Cd) | 007440-43-9 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 銻 (Sb) | 007440-36-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鋇 (Ba) | 007440-39-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉻 (Cr) | 007440-47-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎳 (Ni) | 007440-02-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |

備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。

2. 本報告不得分離，分離使用無效。

3. 若該測試項目屬於定量分析則以「定量極限」表示；若該測試項目屬於定性分析則以「偵測極限」表示。

4. 低於定量極限之測定值以 "N.D." 表示；低於偵測極限之測定值以 "陰性" 表示。

5. 重金屬限量：依據衛生署公告重金屬限量：汞<1ppm，砷<3ppm，鉛<10ppm，鎘<20ppm。

- END -

測試報告

報告編號：UG/2017/C1019

日期：2017年12月29日

頁數：3 of 3



基翔生技有限公司

台中市西區博館路117號B1

樣品照片

UG/2017/C1019



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

報告編號：UG/2017/C1020

日期：2017年12月29日

頁數：1 of 3



基翔生技有限公司

台中市西區博館路117號B1

以下測試之樣品係由申請廠商所提供及確認：

產品名稱：J'NESAQUOI 逆顏活酵母修護面膜

申請廠商：基翔生技有限公司

產品型號/批號：---

樣品狀態：請參考報告末頁樣品照片

製造日期：---

有效期限：---

收樣日期：2017年12月20日

測試日期：2017年12月20日 ~ 2017年12月29日

測試結果：-請見下頁-

Signed for and on behalf of
SGS Taiwan Ltd.

Shin-Jyh Chen

Shin-Jyh Chen

Manager



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

報告編號：UG/2017/C1020

日期：2017年12月29日

頁數：2 of 3



基翔生技有限公司

台中市西區博館路117號B1

測試結果：

| 測試項目 | CAS NO. | 測試方法 | 測試結果 | 定量/偵測 極限 | 單位 |
|--------|-------------|---|------|-------------|------------|
| 砷 (As) | 007440-38-2 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉛 (Pb) | 007439-92-1 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 汞 (Hg) | 007439-97-6 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎘 (Cd) | 007440-43-9 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 銻 (Sb) | 007440-36-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鋇 (Ba) | 007440-39-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鉻 (Cr) | 007440-47-3 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |
| 鎳 (Ni) | 007440-02-0 | 本測試參考USEPA 3052方法，以感應耦合電漿光譜儀(ICP/OES) 檢測。 | N.D. | 1.00 | ppm(mg/kg) |

備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。

2. 本報告不得分離，分離使用無效。
3. 若該測試項目屬於定量分析則以「定量極限」表示；若該測試項目屬於定性分析則以「偵測極限」表示。
4. 低於定量極限之測定值以 "N.D." 表示；低於偵測極限之測定值以 "陰性" 表示。
5. 重金屬限量：依據衛生署公告重金屬限量：汞<1ppm，砷<3ppm，鉛<10ppm，鎘<20ppm。

- END -

測試報告

報告編號：UG/2017/C1020

日期：2017年12月29日

頁數：3 of 3



基翔生技有限公司

台中市西區博館路117號B1

樣品照片

UG/2017/C1020



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.